

1-Identification of the substance/preparation and of the company/undertaking

- **Product Details**

Product Name: EPS WF-C878 INK CTG BLK 20K YLD AU

Katun PN: 58769S

- **Application of the substance/the preparation :** Ink-Jet Printing

- **Supplier of the SDS:**

Katun Corporation

7760 France Avenue, Suite 340

Minneapolis, MN 55435

Phone: 952-941-9505

- **Emergency Phone:** (Chemtrec) 800-424-9300

2-Hazards Identification

- **Hazard description:**

This product is not classified as hazard substance according to the EC Regulation 1272/2008(CLP).

- **Regulation 1272/2008(CLP) and following amendments and adjustments.**

Hazard classification and indication: --

- **Label elements.**

Hazard labelling pursuant to EC Regulation 1272/2008(CLP) and subsequent amendments and supplements.

Hazard pictograms:--

Signal words: --

Hazard statements: --

Precautionary statements:

P101 If medical advice is needed have product container or label at hand.

P102 Keep out of reach of children.

- **Other hazards.**

Information not available.

Safety Data Sheet

Katun PN 58769S

Information Sheet

Revision 1.0

Page 2 of 10

Date of issue: 11/5/2021

3-Composition/Information on Ingredients

• Description:

Mixture: containing of the following components. The classification is mainly based on pure substance. The concentration of the substance in the mixture is very lower than the pure substance. The main substance in the mixture is water.

| CAS No / EC No | Components / Formula / classification | Range of concentration |
|---------------------------------|--|------------------------|
| Trade secret | Black Pigment | 0.1%-5% |
| | / | |
| CAS: 111-46-6 EC: 203-872-2 | Diethylene glycol C ₄ H ₁₀ O ₃ | 0.1%-9% |
| | Acute Tox.4 H302 | |
| CAS: 107-21-1 EC:203-473-3 | Ethylene glycol C ₂ H ₆ O ₂ | 0.1%-9% |
| | Acute Tox. 4 H302 | |
| CAS: 67-63-0 EC:200-661-7 | Isopropanol C ₃ H ₈ O | 0.1%-3% |
| | Flam.Liq.2 H225, Eye Irrit.2 H319, STOT SE 3 H336 | |
| CAS:25322-68-3 EC:200-849-9 | Polyethylene glycol 400 HO(C ₂ H ₄ O) _n H | 0.1%-9% |
| | / | |
| CAS: 616-45-5 EC:210-483-1 | 2-Pyrroli-Dinone C ₄ H ₇ NO | 0.1%-6% |
| | Eye Irrit. 2 H319 | |
| CAS: 9014-85-1 EC: 689-121-3 | Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol | 0.1%-3% |
| | / | |
| CAS: 7732-18-5 | Water H ₂ O | 50-90% |
| | / | |

4-First Aid Measures

In case of contact, ingestion or inhalation, the following general measures provided for a first aid shall be taken.

• After eyes contact:

Safety Data Sheet

Information Sheet

Revision 1.0

Page 3 of 10

Katun PN 58769S

Date of issue: 11/5/2021

Do not rub eyes. Immediately flush eyes with large amounts of clean, warm water (low pressure) for at least 15 minutes. If the irritation persists, seek medical advice.

- **After skin contact:**

Immediately wash affected areas with mild soap and water. If the irritation persists, seek medical advice.

- **After ingestion:**

Ingestion is not an expected route of exposure during normal use of the product. If ingested, seek medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.

- **After inhalation:**

Remove to fresh air. If respiration is difficult, administer artificial respiration and seek medical advice.

- **Indication of any immediate medical attention and special treatment needed:**

Follow doctor's orders.

5-Fire-fighting Measures

- **Suitable extinguishing agents:**

Dry chemical, carbon dioxide, water spray or regular foam

- **Extinguishing media which shall not be used for safety reasons:** Not known.

- **Special hazards arising from the substance or mixture:**

Product is a nonflammable water-based solution.

Hazardous combustion products (gases/vapors) produced in fire can include carbon monoxide, carbon dioxide, nitrogen oxides, and smoke.

- **Flash point and method:** >93.3°C (200°F) Closed Cup

- **Approximate Flammable Limits in Air, %by Volume:** Not available

- **Autoignition Temperature:** Not available

- **Fire Fighting Instructions:**

This product is not flammable. Use normal firefighting procedures for the area.

6-Accidental Release Measures

- **Personal precautions:**

Wear appropriate personal protective measures, avoid contact eyes and skin.

- **Environmental precautions:**

The product must not penetrate the sewer system, surface water, ground water and neighbouring areas.

Avoid birds or fish ingestion from drainage system, please thoroughly recycle.

- **Measures for cleaning/collecting:**

Transfer the leaked products to container. Absorb with inert absorbent such as dry, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

Flush a small amount of residue with large amounts of water and detergent.

- **Additional information:**

Any information on personal protection and disposal is given in sections 8 and 13.

7 - Handling and Storage

- **Handling:**

- **Information for safe handling:**

Wear appropriate personal protective measures, avoid contact eyes and skin.

Ventilation is well and far away from heat.

- **Information about fire-and explosion protection:**

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away. Do not smoke.

Protect against electrostatic charges.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Keep away from excessively alternate heat and cold, direct sunniness.

Keep away from strong acid, strong base and strong oxidizing agent.

Keep away from incompatible substance or mixtures.

Store in a cool, dry, ventilated area.

Safety Data Sheet

Katun PN 58769S

Information Sheet

Revision 1.0

Page 5 of 10

Date of issue: 11/5/2021

- **Further information about storage conditions:**

Keep container tightly sealed.

Keep out of the reach of children.

8-Exposure Controls, Personal Protection

- **Information about design of technical facilities:**

To provide proper ventilation, use adequate general or local exhaust ventilation.

- **Ingredients with limit values that require monitoring at the workplace:** No data available

- **Personal protective equipment:**

- **Respiratory protection:**

Respirators are not needed for normal use.

- **Eye/Face protection:**

Wear safety glasses. Wear coverall chemical splash goggles and face shield when the possibility exists for eye and face contact due to splashing or spraying of the material.

- **Body protection:**

If there is potential for significant dermal contact, wear appropriate impervious clothing and gloves.

9-Physical and Chemical Properties

- **General Information:**

Form Liquid

Color Black

Odor Slight

- **Change in condition:**

Melting point No data available

Freezing point No data available

- **Flash point** >93.3°C (>200°F) Pensky-Martens Closed Cup

- **Flammability Limits in Air,**

upper, %by Volume No data available

lower, %by Volume No data available

Safety Data Sheet

Katun PN 58769S

Information Sheet

Revision 1.0

Page 6 of 10

Date of issue: 11/5/2021

- **Vapor pressure** No data available
- **Vapor density** No data available
- **Specific Gravity** > 1
- **Solubility in Water** Dispersible
- **pH** 7-9
- **Viscosity** >1cp

10-Stability and Reactivity

- **Reactivity:**

There are no particular risks of reaction with other substances in normal conditions of use.

- **Chemical stability:**

The product is stable in normal conditions of use and storage.

- **Possibility of hazardous reactions:**

No hazardous reactions are foreseeable in normal conditions of use and storage.

- **Polymerization:**

Polymerization will not occur.

- **Hazardous decomposition products:**

No decomposition reaction occurs in normal conditions of use and storage.

11-Toxicological Information

- **Acute toxicity:**

Diethylene glycol

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : >12565mg/kg(RTECS)

LC50 (rat, inhalation/4 hr.) : No data available

Ethylene glycol

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

Safety Data Sheet

Information Sheet

Revision 1.0

Page 7 of 10

Katun PN 58769S

Date of issue: 11/5/2021

LD50 (rat, oral) : >13.4 g/kg(RTECS)

LC50 (rat, inhalation/4 hr.) : No data available

Isopropanol

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : >5.84g/kg(RTECS)

LC50 (rat, inhalation/4 hr.) : No data available

Polyethylene glycol 400

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : >384g/kg(RTECS)

LC50 (rat, inhalation/4 hr.) : No data available

2-Pyrrolidone

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : >8000mg/kg(RTECS)

LC50 (rat, inhalation/4 hr.) : No data available

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : No data available

LC50 (rat, inhalation/4 hr.) : No data available

WATER

PEL (OSHA) : None Established

TLV (ACGIH) : None Established

LD50 (rat, oral) : No data available

LC50 (rat, inhalation/4 hr.) : No data available

• **Primary irritant effect:**

On the skin: No irritation

On the eyes: No data available

Safety Data Sheet

Katun PN 58769S

Information Sheet

Revision 1.0

Page 8 of 10

Date of issue: 11/5/2021

- **Local effect:** No
- **Sensitive:** No
- **Chronic or long-time toxicity:** No

12-Ecological Information

- **Environmental Data:**

No information available for product.

- **Mobility in soil and water**

No information available for product.

- **Persistence/Biodegradability**

No information available for product.

- **Exotoxicity Data**

No information available for product.

13-Disposal Considerations

- **Product:**

- **Waste Disposal**

Do not discharge into environment, directly. Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

- **package**

- **Waste Disposal**

Contaminated or damaged package must be recovered or disposed of in compliance with national waste management regulations.

14-Transport Information

- **International transport regulations:** Not strict rules.

DOT (Domestic Surface) Not regulated.

ICAO/IATA (Air) Not regulated.

IMO/IMDG (Ocean) Not regulated.

Safety Data Sheet

Katun PN 58769S

Information Sheet

Revision 1.0

Page 9 of 10

Date of issue: 11/5/2021

15-Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture.**

CLP category Limited

Restrictions relating to the product or contained substances pursuant to Table 3.1 to EC

Regulation 1272/2008(CLP) Limited

Substances in Candidate List(SVHC in REACH) None

16-Additional Information

- **Other information:**

This SDS was prepared in accordance with CLP Regulation (EC) No.1272/2008, EU No 2015/830, EC No 1907/2006, REACH, GB/T16483-2008 and GB13690-2009.

- **Disclaimer:**

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

- **Abbreviations and acronyms:**

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service

CLP: Classification, Labeling and Packaging of substances and mixtures

SVHC: Substances of Very High Concern

REACH: Registration, Evaluation, Authorization and Restriction of Chemicals

DOT: Department of transportation

EC: Effective concentration

EC50: Effective concentration, 50 percent

EINECS: European Inventory of Existing Chemical Substance

IAIA: International Association for Impact Assessment

ICAO: International Civil Aviation Organization

IMO: International Maritime Organization

IMDG: International Maritime Dangerous Goods

Safety Data Sheet

Katun PN 58769S

Information Sheet
Revision 1.0
Page 10 of 10

Date of issue: 11/5/2021

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOEC: No Observed Effect Concentration

OSHA: Occupational Safety and Health Administration (U.S.A.)

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

TLVTN: Threshold Limit Value

VOC: Volatile Organic Compounds